

ABUS 85 RANGE BRASS BODY



- Low to medium security requirement
- Lock body solid brass
- Double locking from (25mm)
- Hardened shackle

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
85/70		69x23/109	7
85/60		60x20x93	7
85C/50		50x17x76	8
85/40		40x16x62	6
85C/30		30x14x57	6

ABUS 65 RANGE BRASS BODY



- Low to medium security requirement
- Lock body solid brass
- Hardened shackle

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
65/60	Single Pack		6
65/50	Twin Pack		6
65/50	Single Pack		6
65CSC/40	Close Shackle		6
65/40	Single Pack		5
65/40	Twin Pack		5
65/30	Twin Pack		4
65/30	Single Pack		4
65/25	Single Pack		3
65/25	Twin Pack		3
65/20	Single Pack		3

ABUS 20 DISKUS RANGE



- High security requirement in severe weather conditions
- Stainless steel inside & out
- Shackle made from hardened alloy steel
- ABUS-Plus disk cylinder: Highest protection against manipulation

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
20/70	Diskus	71x30x71	9

ABUS 65 DISKUS RANGE



- High security requirement
- Massive inner base for enhanced security
- Drill & Pull resistant cylinder
- Shackle made from special alloy hardened steel.

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
26/70	Diskus	71x30x71	8

ABUS 41 RANGE LAMINATED



- Medium security requirement

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
41/50		53x29x75	6
41/40		44x29x60	6
41/30		35x22x54	6

ABUS 34 PLATINUM RANGE



- Medium to high security

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
34/55		55x25x85	10

ABUS 34 PLATINUM RANGE



- Medium to high security requirements

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
34CS/55	Close Shackle	55x25x85	8

ABUS 90 RANGE



- Medium to high security requirements

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
90C/50	Close Shackle	50/23/70	8

ABUS 37 GRANIT RANGE



- High security requirement

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
37/55	Close Shackle	63x31x85	10

ABUS 37 GRANIT PLUS RANGE



- High security requirement

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
37RK/80	Close Shackle	79x39x94	17

ABUS 82 MONOBLOCK RANGE



- The locks with special quality and application features

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
82C/70		70x18x50	7

ABUS 165 COMBINATION RANGE



- Low to medium security requirements
- 4-digit combination of numbers
- High-quality brass lock
- Quality steel shackle.

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
165/40	Combination	40x18x81	4

ABUS 70 EXPEDITION RANGE



- Medium security requirement
- Used in severe weather conditions
- Lock body made from solid brass
- Special protective cover

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
70/45		53x28x73	4

ABUS 158 COMBINATION RANGE



- Low to Medium security
- 4-Digit combination of numbers
- 100% Rust proof

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
158/50	Combination	52x 26x101	5

ABUS 27 SILVER ROCK RANGE



- Medium to high security requirements
- Impact resistant body

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
27/50		52x27x78	7

ABUS 65 RANGE BRASS BODY



- Low to Medium security requirements
- Long Shackle

<u>Stocked in</u>	<u>Description</u>	<u>Width/Depth/ Height in mm</u>	<u>Grade</u>
65HBC	Long Shackle	50x17x128	7

ABUS 130 HASP & STAPLE



- High risk security

<u>Stocked in</u>	<u>Length & Width in mm</u>	<u>Grade</u>
130	180x79mm	15

ABUS 125 Hasp & Staple



- High risk security

<u>Stocked in</u>	<u>Length & Width in mm</u>	<u>Grade</u>
125/150	150x60mm	9

ABUS 140 DISKUS RANGE



- Used with the Diskus padlocks
- High level of security
- Extremely high level of anit-corrosion

<u>Stocked in</u>	<u>Length & Width in mm</u>	<u>Grade</u>
140/190	190x56m	8
140/120	120x56mm	8

ABUS 200 STANDARD RANGE



- Low to Medium security requirements
- Hardened steel staple
- Concealed screws

<u>Stocked in</u>	<u>Length & Width in mm</u>	<u>Grade</u>
200/115	116x47mm	2
200/95	97x39mm	2
200/75	76x29mm	2